

MOUNTAINSIDE
Stamps, Coins and Currency
 Post Office Box 1116
 Mountainside, New Jersey 07092
 Telephone: 908-419-9751 or 908-232-0539
 www.mountainsidestampsandcoins.com
 E-mail: tjacks@verizon.net

Tom Jacks, owner
 Member APS, ASDA, USSS, ANA

Professional philatelist
 and numismatist

Dear Customer:

Enclosed is my latest list of **United States Single Stamps**. This list features high catalog stamps of the 19th century both **used** and **unused** (Note #'s 1, 4, 6, 19, 28A, 45, 46, 99, 106, 107, 120, 126, and 155, a nice selection of early commemoratives (note dollar values of Columbian and Trans-Mississippi series, 261A, 262, 263, 278). Also, early 20th century regular and commemorative issues with an extensive selection of the Washington-Franklin series (#'s 362 through 366, 498f and 499f, coils, Shanghai's for example) up through the Kansas-Nebraska issue. Back of the book stamps (airs, special deliveries, postage dues, parcel posts and officials, #O68) are also included as is the Philippines.

I also have an extensive stock of revenue stamps (no price list at this time). I welcome your want list for US singles, plate blocks, and booklets. I also have extensive lists of US plate blocks, booklets and panes, duck stamps and sheets that are on the web site or will be sent on request.

I attend all major shows in the New York, Philadelphia, Boston, Washington, DC and California areas. Please stop by if you attend any of these shows. Thank you, *Tom Jacks*

DEFINITIONS: All stamps according to Scott catalog. All stamps have original gum unless stated otherwise. Photocopies can be sent. NH = never hinged, LH = lightly hinged, H = hinged. We will send scans of any item on request.

TERMS: Payment with order. Minimum order \$25. Time payments accepted. Please add \$5.00 per order for postage and insurance. VISA, Mastercard, Discover, or American Express accepted (send card#, exp. date, CVV# on back+ your phone #). Seven day unconditional return privilege; after 30 days, all sales final. Items to be sent for certification must be agreed to at time of sale.

UNITED STATES USED SINGLE STAMP LIST

Scott #	Condition	Price	Comments
9X1	VF	\$425.	Signed ACM connected
9X1b	VF	575.	Signed A.C.M.
1	F-VF	175.	Pen cancel
1	F-VF	250..	
1	VF	325.	4 margins
1	VF-XF	450	on piece-red cancel.
1	VF-XF	500.	Graded 85
1 pair	VF	900.	Red cancel
2	Fine	350.	
2	VF	750.	
2	VF	875.	Red cancel
2	VF-XF	1,000.	4 margins; cert.
2	VF	1,200.	Red cancel; APS cert.
6	F-VF	7,000.	PF cert.
7	Fine	100.	
7	VF+	300	
9	F-VF+	90.	
9	VF	150.	
10	Fine	175.	On cover
10A	Fine	100.	

10A	F-VF+	140.	
10A	VF	200.	
11	F-VF	25.	Cert.
12	Ave.-Fine	400.	
12	F-VF	500.	Pen cancel
12	VF	850.	PF cert.
13	F-VF	500.	
13	VF	750.	
13	VF+	900.	
14	VF	100.	
14	VF-XF	175.	4 margins
14	XF	350.	4 large margins
15	F-VF	135.	
15	VF	300.	Pair
15	VF-XF	500.	Pair; pos. 41-42LI
16	Fine	900.	
17	F-VF+	175.	
17	VF	250.	
17	F-VF	450.	Pair; Philadelphia cancel
18	F-VF	400.	
18	VF	1,200.	Pair
19	F-VF	5,000.	PF cert.
20	F-VF	225.	
21	F-VF	1,600.	On cover; PF cert.
22	F-VF	375.	Plate 4; break at top
22	VF	425.	
22	VF+	475.	PF cert.
23	VF	650.	PF cert.
24	VF+	60.	
24 pair	VF	100.	
25	Fine	75.	
25	VF	175.	
26	VF	40.	Graded 80 PF
27	F-VF	800.	Brick red sha
28	F-VF	700.	
28A	F-VF	2,250.	
28b	F-VF	1,000.	PF cert.
29	F-VF+	275.	
30A	F-VF+	225.	
30A	VF	250.	
30A	VF+	300.	
31	F-VF	900.	
32	VF	190.	
32	VF	500.	Strip of 3; PF cert.
33	F-VF	150.	
33	VF	175.	APS cert.
35	F-VF	50.	
35	VF	90.	Red Cancel
36	F-VF	200.	
36	F-VF	250.	Red cancel
36	VF	300.	Red cancel
37	F-VF	275.	
37	F-VF+	325.	Red cancel
38	VF	325.	
62B	Ave.-F	550.	
62b	F-VF	1,000.	
63	F-VF	40.	
63	VF-XF	100.	
64	F-VF	450.	PF cert; slight tear
64	F-VF	450.	APS cert.
64	VF	700.	PF cert.
68	VF-XF	90.	

68 pair	F-VF	125.	Steamship cancel
69	F-VF	80.	
69	VF-XF	150.	Red cancel
70	F-VF	150.	APS cert.
70	VF	225.	
70	VF-XF	325.	
70b	Fine	450.	PF cert.
70c	Fine	950.	PF cert; small tear
71	F-VF	150.	
71	VF	200.	
72	F-VF	350.	
73	F-VF	40.	
73	VF+	90.	Nice copies
75	Fine	175.	
75	F-VF	225.	
75	F-VF+	300.	
75	VF-XF	725.	Graded 85
76	Fine	65.	
76	VF	125.	
76	VF+	175.	
77	Fine	100.	
78	F-VF	250.	
78a	F-VF	225.	APS cert.
83	Fine	475.	
83	F-VF	675.	PF cert: minor creases
84	Fine	2,500.	
85	Fine	550.	PF cert.
85	F-VF	850.	PF cert; minor fault
85	VF	900.	
85B	Ave-Fine	450.	PF cert. minor fault
85B	Ave.-Fine	500.	PF cert. sound
89	F-VF	150.	
90	Ave-F	100.	
90	F-VF	225.	
91	Fine	350.	
91	VF	575.	PSE cert.
92	F-VF	250.	
93	F-VF	40.	
95a	F-VF	1,300.	
96	F-VF	175.	
96	VF	225.	
97	Fine	125.	
97	F-VF	175.	
97	VF	200.	
97	VF	250.	Red cancel
98	Fine	175.	APS cert.
98	F-VF	325.	Red cancel, PSE cert.
99	Fine	575.	
100	Fine	450..	
101	Fine	500.	
112	VF	115.	
112	VF-XF	160.	
113	VF	80.	
114	XF	95.	
115	F-VF	125.	
115	VF	200.	
116	F-VF	70.	
116	VF	100.	
116	VF-XF	175.	
116	XF	300.	PF cert.
117	F-VF	80.	

117	VF	130.	
117	VF-XF	200.	
117	XF	250.	PF cert.
118	Fine	350.	
118	F-VF	450.	
118	VF	600.	
118	VF-XF	750.	
119	F-VF	120.	
119	VF-XF	275.	
120	Fine	350.	
120	F-VF	425.	
121	F-VF	250.	
121	VF	350.	
122	Fine	900.	
122	F-VF	850.	
122	F-VF	1,200.	
127	VF-XF	1,800.	
136	F-VF	35.	
138	Fine	260.	
141	F-VF+	800.	
143	Fine	1,500.	Pen cancel; PF cert.
143	F-VF	2,000.	
143	VF	2,500.	
144	F-VF+	1,650.	
145	VF-XF	50.	
145	XF	75.	
146	VF-XF	50.	
148	VF-XF	60.	
149	VF	80.	
149	VF-XF	180.	Large margins
151	F-VF	100.	
151	F-VF+	150.	
151	VF	175.	
152	F	85.	
153	F-VF	135.	
154	VF	250.	
154	VF=XF	325.	
155	F-VF	200.	
156	VF	30.	
160	F-VF	60.	
160	VF	80.	
161	VF	25.	
162	F-VF	90.	
162	VF	135.	
163	VF	125.	
163	VF-XF	200.	
165	F-VF	80.	
165	VF	135.	
166	F-VF	150.	
166	VF	225.	
179	XF	120.	
187	VF-XF	125.	
190	F-VF+	75.	
205	F-VF	95.	Block of 4
206	XF	50.	
208	F-VF+	80.	
208	VF-XF	150.	
208	XF	350.	
211	F-VF	100.	Block of 4
217	F-VF	70.	

217	VF-XF	125.	
218	F-VF	160.	
218	VF	225.	
218	VF-XF	300.	
224	VF-XF	50.	
228	VF-XF	55.	
229	VF	100.	
240	VF	150.	
241	Fine	250.	
241	F-VF	350.	
241	VF	500.	
241	VF-XF	650.	
242	F-VF	350.	
242	VF	475.	
242	VF-XF	575.	
242	VF	575.	PF cert.
243	F-VF	600.	
244	F-VF	650.	
244	F-VF	800.	PF cert.
244	VF	1,000.	PF cert.
245	Fine	550.	
245	F-VF	850.	
245	VF	1,100.	APS Cert.
259	VF-XF	130.	
260	F-VF	100.	
261A	F-VF	550.	
272A	Fine	450.	Wmk. USIR; small thin
275	VF	25.	
276	F-VF	75.	
276A	Fine	100.	
276A	VF	175.	
277	F-VF	275.	
277	VF	375.	
277	VF-XF	475.	
278	Fine	275.	
278	F-VF	425.	
278	VF	600.	
278	VF-XF	750.	
291	VF	150.	
292	VF-XF	600.	
293	F-VF	750.	
293	F-VF	700.	
293	VF	900.	
293	VF-XF	1,100.	
294-99 set	F-VF	90.	
311	VF	75.	
312	F-VF	110.	
312	VF	150.	
312	VF-XF	260.	
314	XF-S	70.	
319g	F-VF	550.	with tab, PF cert.
319g	VF	950.	Plate Number 4115
327	VF	50.	
330	VF	45.	Graded 80
342	F-VF	65.	
343-45	VF	85.	
346	VF	20.	45. pair
348	F-VF	250.	Line pair rejoined by hinge
352	XF	225.	Single

352 line pair	VF-XF	1,400.	
353	VF-XF	200.	Single
355	VF	250.	Single
371	XF	25.	
372	XF	60.	Graded 90
377	XF-S	45.	Jumbo
390 line pair	VF-XF	170.	
393	VF-XF	70.	
394 line pair	VF-XF	600.	PF cert.
395 pair	F-VF	175.	
396 single	VF-XF	85.	
396 pair	VF	165.	
396 line pair	VF	700.	
408-09	XF	45.	Plate blocks of 6
410 line pair	VF-XF	175.	
412 line pair	F-VF	175.	
412 line pair	VF-XF	325.	
413 line pair	F-VF	150.	
413 line pair	VF	150.	
421	VF	30.	
423	VF	75.	
446 pair	VF	425.	Paste-up pair
452 pair	VF	55.	
457 pair	VF	90.	
477	F-VF	55.	
478	VF	125.	Block of 4
491	VF+	850.	PSE cert.
523	VF-XF	300.	
524 block	XF	300.	
531 pair	XF	50.	
534 single	Superb	400.	Graded 100-off cover
547	F-VF	30.	
547	VF-XF	75.	
832	VF	20.	Plate block
833	VF	50.	Plate block
834	VF	150.	Plate block
C1-6 set	VF-XF	170.	
C6	VF-XF	40.	
C10a	VF	100.	With tab
C13	VF-XF	175.	
C13	XF	225.	
C14	VF	225.	Small thins
C14	VF	325.	
C14	VF	350.	On flown card
C15	F-VF	475.	
C15	VF-XF	550.	
C13-15 set	VF	1,000.	
C18	VF	40.	
C18	XF	60.	
E7	VF	40.	
J17	F-VF	190.	
J17	VF	250.	
J21	F-VF	150.	
J27	F-VF	135.	
J28	VF	225.	
J29	Fine	325.	
J50	F-VF	150.	
K1	VF-XF	70.	

K2	F-VF	35.
K2	VF-XF	100.
K4	VF	140.
K5	F-VF	60.
K8	VF	150.
K10	VF	130.
O8	VF	225..
O12	F-VF	125.
O68	F-VF	1,250.
O80	VF	80.
RW-2	VF	125.
RW-5	VF	50.

UNITED STATES UNUSED SINGLE STAMP LIST

<u>Scott #</u>	<u>Condition</u>	<u>Price</u>	<u>Comments</u>
8XU1,2	XF	\$425.	
10X1	VF	175.	No Gum
10X1	XF	175.	Reprint
1	VF	3,500.	Part OG; PF cert.
3	VF	800.	
3	VF-XF	1,000.	Grade 85
3	XF	1,100.	
4	VF-XF	1,250.	PSE cert.
9 pair	VF-XF	500.	No gum
9	VF, H	700.	Full gum
11A pair	VF	185.	No gum
15	VF-XF	1,400.	No gum
15	VF-XF	1,500.	No gum; wide margins
24	F-VF, H	100.	Full gum
26	F-VF	45.	No gum
26	F-VF, H	65.	Full gum;
26	VF, NH	100.	Full gum;
29	Ave.-Fine, H	2,000.	Full gum
30A	F-VF	600.	No gum
37	F-VF, LH	850.	Full gum;
38	Fine	450.	No gum
38	F-VF, LH	1,200.	Full OG;
38	VF, LH	1,500.	Full OG;
40	F-VF	525.	No gum as issued
45	Fine	2,800.	No gum as issued; APS cert.
46	Fine	2,750.	No gum as issued; PF cert.
56	F-VF, LH	450.	Now 65E-15h; full OG
56	VF, LH	500.	Now 65E-15h; full OG
65	F-VF, LH	75.	Full OG
65	VF, LH	100.	Full OG
68	F-VF, NH	600.	Full gum
69	F-VF	600.	No gum
71	Fine, LH	800.	Full OG
71	F-VF, LH	1,250.	Full OG
72	Fine, H	1,000.	Full OG
72	VF, LH	2,250.	Full OG
73	VF	140.	No gum
73	Fine, LH	200.	Full OG
73	F-VF, NH	300.	Full OG
75	F-VF	1,400.	No gum
75	Fine, H	2,250.	Full OG; PF cert. small fault
76	F-VF	325.	No gum
76	Ave.-F, LH	450.	Part OG
86	Fine	550.	No gum-PF cert. small fault

92	F-VF, LH	1,700	Full OG; APS cert.
94	VF, LH	400.	Full OG
96	F-VF, H	1,000.	Part OG
98	F-VF	900.	No gum
99	Ave.-Fine, LH	2,500.	Full OG, PF cert. Small faults
99	F-VF, LH	5,500.	Full OG, PF cert.
102	F-VF	275.	No gum
102	VF, LH	700.	Full OG
106	F-VF, H	2,400.	Full OG; PF cert.
107	F-VF	1,600.	No gum; PSE cert.
112	Fine,	120.	No gum
112	F-VF, LH	450.	Full OG
113	F-VF, H	300.	Full OG
113	VF, NH	800.	Full OG
114	VF	70.	No gum
114-E6	VF, LH	75.	Full gum; 4 shades available
117	VF, H	1,750.	Full gum,
120	F-VF, H	4,500.	Full OG, PF cert.
121	F-VF, H	2,100.	Part OG, PF cert.
121	VF	1,650.	No gum; PF cert.
126	VF, H	1,600.	Full OG; PF cert.
127	VF, H	1,600.	Full OG; PF cert.
129	VF, H	1,000.	Full OG
135	F-VF, LH	700.	Full OG; PSE cert.
146	VF, H	300.	Full O
147	VF-XF	125.	No gum
147	F-VF,LH	150	Full OG
147	VF, LH	190.	Full OG
148	VF, NH	1,250.	Full OG
149	VF, H	900.	Full OG; PF cert.
149	VF+, H	1,100.	Full OG
151	F-VF+,LH	1,750.	Full OG,
152	Fine, LH	1,000.	Full OG, PF cert.
153	Fine, LH	700.	Full OG
153	VF, H	1,700.	OG; PSE cert.
154	F-VF	1,600.	No gum
155	VF, H	3,500.	Full OG
156	F-VF+, LH	200.	Full OG
157	F-VF+, LH	300.	Full OG; PSE cert.
157	VF, LH	400.	Full OG; PSE cert.
157	VF, H	375.	Full OG; PSE cert.
157	VF-XF, LH	500.	Full OG
159	VF, LH	350.	Full OG
161	F-VF, H	650.	Part OG
161	VF-XF, H	1,000.	Full OG-PSE cert.
163	F-VF	450.	No gum
163	VF	600.	No gum
165	VF	900.	No gum; PF cert.
178	Fine, NH	200.	Full OG
178	VF, LH	400.	Full OG
179	VF-XF, H	550.	Full OG
184	VF, NH	325.	Full OG
185	VF, LH	475.	Full OG
188	VF	700.	No gum; PF cert.
188	VF-XF	550.	No gum; PF cert.
188	VF-XF, LH	1,500.	Full OG
189	VF, LH	180.	Full OG
189	VF-XF, LH	275.	Full OG

190	Fine, LH	450.	Full OG; APS cert.
190	VF, LH	900.	Full OG; PF cert.
190	VF-XF, LH	1,200.	Full OG
191	F-VF, H	1,000.	Full OG
191S	VF-XF, H	60.	Full OG
205	VF, LH	225.	Full OG
205	VF, LH	240.	Full OG; graded 80
205	VF-XF, LH	375.	Full OG
205	VF, NH	650.	Full OG
206	VF, LH	60.	Full OG
206	VF, LH	95.	Full OG
207	F-VF, LH	60.	Full OG
208	VF, LH	750.	Full OG
208a	F-VF, H	350.	Full OG
208a	VF, LH	500.	Full OG
209	VF, LH	150.	Full OG
209	F-VF, NH	200.	Full OG
209	VF-XF, LH	250.	Full OG
209	VF-XF, LH	300.	Full OG; PF cert.
209	VF, NH	500.	Full OG
209	VF-XF, NH	700.	Full OG
209b	F-VF+, LH	1,750.	Full OG
209b	VF-XF, LH	2,750.	Full OG
210	VF-XF, LH	50.	Full OG
210	F-VF, NH	95.	Full OG
210	XF, H	250.	Full OG-wide margins
211	VF, NH	800.	Full OG
212	VF, H	70.	Full OG
212	F-VF, LH	300.	Full OG; block of 4
213	VF, NH	110.	Full OG
213	VF-XF, NH	175.	Full OG
213	XF, NH	225.	Full OG
213	VF, NH	300.	Full OG; strip of 3
214	F-VF, NH	125.	Full OG
214	VF, NH	150.	Full OG
214	VF-XF, NH	275.	Full OG
215	F-VF, LH	120.	Full OG
215	XF, LH	325.	Full OG
216	VF, LH	250.	Full OG; PSE cert.
217	VF, LH	250.	Full OG
217	VF-XF, LH	350.	Full OG
219	XF, LH	50.	
219	VF, NH	75.	
219	VF-XF, NH	110.	
219D	F-VF, NH	250.	
219/229	VF-XF	475	Proofs on card
220a	F-VF, LH	80.	
221	VF, LH	60.	
221	XF, LH	120.	
221	VF-XF, LH	100.	Graded 85
222	VF, LH	80.	
222Pa pair	XF, LH	200.	
223	F-VF, LH	50.	
223	VF, LH	80.	
223	F-VF, NH	140.	
223	VF, NH	250.	
223	VF-XF, NH	300.	
223Pa pair	VF-XF, LH	225.	
224	VF, LH	45.	

224	F-VF, NH	110.	
224	VF, NH	150.	
224	VF-XF, NH	250.	
224	XF, NH	300.	
224	XF, NH	350.	PSE cert.
225	VF, LH	75.	
225	F-VF, NH	140.	
225	VF-XF, LH	110.	
225	F-VF, NH	150.	
225	VF, NH	180.	
225	VF-XF, NH	270.	
226	VF, LH	160.	
226	VF-XF, LH	200.	
226	VF-XF, NH	750..	
226Pa pair	VF-XF, NH	300.	
227	VF, LH	175.	
227	VF, LH	250.	
227	F-VF, NH	450.	
227	VF, NH	750.	
228	F-VF, LH	200.	
228	VF, LH	275.	
228	VF, LH	275.	
229	VF, LH	325.	PSE cert.
229	F-VF, NH	600.	
229	VF, LH	600.	PF cert.
230	F-VF, NH	25.	
230	VF, NH	40.	
230	VF-XF, NH	50.	
230	XF, NH	100.	
230	XF-S, NH	175.	
230	Fine, NH	150.	Pl. # Strip of 5 (B)
230	F-VF, NH	200.	Pl. # strip of 5 (T)
231	VF-XF, LH	20.	
231	F-VF, NH	30.	
231	VF, NH	40.	
231	VF-XF, NH	50.	
231	XF, NH	100.	
231	XF-S, NH	200.	Jumbo; PSE cert.
231	F-VF, NH	120.	Pl. # strip of 3 (T)
231	VF, NH	175.	Pl. # strip of 3 (T)
231	VF-XF, NH	300.	Block of 4
231	VF, NH	140.	Broken hat variety
232	F-VF, NH	60.	
232	F-VF, NH	90.	Pl. # 57
232	VF, NH	100.	
232	XF, NH	225.	
232	F-VF, LH	275.	Pl. # strip of 4 (B)
232	F-VF, NH	450.	Pl. # strip of 4 (T)
232	VF, NH	525.	Pl. # strip of 4 (T)
233	F-VF, LH	40.	
233	F-VF, NH	90.	
233	VF, NH	180.	PF cert.
233	VF-XF, NH	325.	PF cert.
233	VF-XF, NH	850.	Pl. # strip of 4 (B)
234	F-VF, LH	45.	
234	F-VF, NH	90.	
234	VF, NH	150.	
234	VF-XF, NH	230.	
234	XF, NH	250.	
234	VF-XF, LH	375.	Pl. # strip of 3
235	VF, LH	40.	

235	F-VF, NH	90.	
235	F-VF, NH	125.	Pl. # 104
235	VF, NH	175.	
235	VF-XF, NH	225.	
236	F-VF, LH	35.	
236	F-VF, NH	90.	
236	VF, NH	170.	
236	F-VF, NH	220.	Pl. #130 pair
236	VF, LH or NH	425.	Block of 4
236	VF, NH	500.	Pl.# strip of 3
237	F-VF, LH	50.	
237	VF, LH	75.	
237	VF-XF, LH	145.	
237	F-VF, NH	165.	
237	F-VF+	200.	
237	VF, NH	275.	
237	VF-XF, NH	325.	
237	VF, NH	1,250.	PL. # strip of 4 (B)
237	F-VF, LH	125.	
238	F-VF, NH	325.	
238	VF, NH	450.	
238	VF-XF, NH	500.	
239	VF, LH	185.	
239	F-VF, NH	375.	
239	VF, NH	625.	
239	VF, NH	750.	PF cert.
239	VF-XF, NH	850.	PF cert.
240	F-VF, LH	325.	
240	VF, LH	475.	
240	F-VF, LH	290.	
240	VF-XF, LH	600.	Pl. #77; PF cert.
240	F-VF, NH	600.	
241	Fine, LH	350.	
241	F-VF, LH	500.	
241	VF, LH	550.	
241	VF+, LH	1,000.	PF cert.
241	VF, NH	2,000.	
242	F-VF, LH	750.	
242	VF, LH	900.	
242	VF+, LH	1,200.	PF cert.
242	VF, NH	2,950.	PSE cert.
243	VF, LH	1,300.	
243 or 243a	VF+, LH	1,600. each	PF cert
243	VF-XF, NH	3,750.	
244	VF, LH	1,750.	
244	VF, LH	2,000.	PF cert.
244	VF+, LH	2,200.	PF cert.
245	VF	1,100.	Regummed
245	VF, LH	1,700.	
245	VF-XF, LH	1,900.	
245	VF+, LH	2,300.	PSE or PF cert.
245	VF-XF, NH	4,500.	
246	VF-XF, NH	110.	
247	F-VF, NH	110.	
247	VF-XF, NH	300.	Graded 85; PSAG
248	VF-XF, LH	55.	
248	F-VF, NH	200.	Block of 4
251	F-VF+, NH	900.	
251	F-VF+, NH	1,000.	Pl. #133 (T); PSE cert.
252	VF, H	75.	
252	F-VF, NH	130.	

253	VF, LH	175.	PL. #103 top
254	VF, LH	150.	
255	VF, LH	110.	
255	VF-XF, LH	185'	
255	F-VF, LH	225.	Imprint pair
256	VF, NH	425.	PSE cert.
257	VF, LH	160.	
257	VF-XF, LH	225.	
258	F-VF, NH	1,900.	Pl. # strip of 3
260	VF, LH	550.	PF cert.
261	Fine, LH	450.	
261	F-VF, LH	600.	
261	F-VF+, LH	850.	
261A	F-VF+, H	1,500.	
261A	VF-XF, LH	2,500.	PF cert.
262	VF, H	2,000.	
262	VF, LH	2,500.	PF cert.
263	Fine, LH	1,600.	PF cert.
263	F-VF, LH	2,700.	PSE cert.
264	VF, LH	15.	Pl. # 122
264	VF, NH	20.	
264	F-VF, NH	45.	Pl. # strip of 3
264	VF-XF, NH	70.	Pl. # strip of 3
265	VF-XF, NH	90.	
267	F-VF, NH	10.	
267	VF, LH	15.	Pl. # 325, 186
267	VF, NH	25.	
267	XF, NH	35.	
267	F-VF, NH	45.	Pl. # strip of 3
267	VF, NH	60.	Pl. # strip of 3
268	VF-XF, LH	35.	
268	F-VF, NH	75.	
268	F-VF, NH	150.	Imprint pair
268	VF-XF, NH	175.	
268	VF, NH	400.	Pl. Strip of 3
269	VF-XF, NH	400.	PSE cert.
269	VF, NH	375.	Pl. # strip of 3
270	VF-XF, NH	275.	Pl. # 190
270	F-VF, LH or NH	300.	Block of 4
270	VF_XF, NH	450.	Pl. # strip of 3
272	VF, LH	50.	
272	VF-XF, LH	90.	
273	VF, LH	125.	
273	F-VF, NH	200.	
273	F-VF, NH	250.	Pl. # 62
273	VF, NH	350.	PL. #302
273	F-VF+, NH	450.	Imprint pair
273a	VF-XF, H	340.	Imperforate pai
274	VF, LH	190.	
274	F-VF, NH	400.	
275	F-VF, LH	200.	
276	F-VF, LH	450.	
276	VF, H	550.	
276A	F-VF, H	900.	
277	VF, H	750.	
278	VF, LH	2,100.	
279	VF, NH	25.	
279	XF, NH	50.	Pl. # 828 or 439
279	VF-XF, NH	60.	Imprint pair
279B	F-VF, NH	20.	
279B	VF-XF, NH	150.	Pl. # strip of 3

279Bc	Fine, NH	300.		
279Bg	VF-XF, NH	200.		
279Bk	Ave.-Fine, NH	E	\$300.	Vert. wmk. Rust marks
279Bj	Ave.-Fine, NH	A	300.	Horiz. wmk. Red shade
279Bj	Fine, NH	A	500.	Horiz. wmk.
279Bj	F-VF, LH	I	500.	Horiz. wmk.
279Bj	Ave-Fine, NH	M	600.	Horiz. wmk.
279Bj	F-VF, NH	A	650.	Horiz. wmk.
279Bj	VF, NH	M	1,000.	Horiz. wmk. Upside down
279Bk	VF-XF, LH	E	650.	Vert. wmk.
279Bk	VF-XF, LH	A	650.	Vert. wmk-reversed
279Bk	VF, LH	C	700.	Vert. wmk.
279Bk	F-VF, NH	E	750.	Vert. wmk.
279Bk	F-VF, NH	F	750.	Vert. Wmk.
279Bk	VF, NH	B	1,000.	Vert. Wmk.
279Bk	VF, H	D	1,000.	Vert. wmk. # 1326 or 1327
279Bk	VF, H	D	1,000.	Vert. wmk. #1371
279BjS	F-VF, NH	A	550.	Vert. wmk, Specimen overprint
281	VF, LH	35.		
281	F-VF, NH	75.		
281	VF, NH	100.		
281	VF-XF, NH	150.		
281	VF, LH	120.		Imprint strip of 3
282	VF, LH	90.		
282	F-VF, NH	100.		
282	VF, NH	140.		Graded 80
282	VF-XF, NH	900.		Pl. # strip of 3; PSE cert.
282a	VF, LH	70.		
284	VF+, LH	190.		
284	F-VF+, NH	350.		
284	VF, NH	400.		
284	VF, NH	1,100.		Imprint strip of 3
285	F-VF, NH	40.		
285	F-VF, NH	55.		Pl. # 635
285	VF, NH	65.		
285	VF-XF, NH	80.		
285	VF-XF, NH	110.		Pl. # 600
285	VF-XF, NH	125.		
285	XF, NH	150.		
285	F-VF, NH	120.		Pl. # and imp. pair
285	VF, NH	150.		Pl. # and imp. pair
285	VF-XF, NH	200.		Pl. # and imp. pair
285	VF-XF, NH	300.		Right arrow block
286	F-VF, NH	40.		
286	VF, NH	75.		
286	VF-XF, NH	90.		
286	F-VF, LH	30.		Pl. # single
286	Fine, NH	55.		Pl. # single
286	F-VF, NH	70.		Pl. # single
286	F-VF, NH	125.		Pl.# and imp. pair
286	VF, NH	160.		Pl.# and imp. pair
286	VF-XF, NH	220.		Pl.# and imp. pair
287	F-VF, LH	70.		
287	VF, LH	100.		
287	F-VF, NH	150.		
287	XF, LH	200.		
287	F-VF, NH	250.		Pl. #634
287	VF, NH	325.		Pl. #634
287	XF, NH	450.		Pl. #634
287	VF-XF, NH	350.		

288	XF, LH	200.	
288	VF, NH	285.	
288	VF+	325.	
288	VF, NH	350.	Imprint single; PF cert
289	F-VF, NH	250.	
289	VF, NH	350.	
290	VF, LH	125.	
290	VF-XF, LH	180.	
290	F-VF, NH	325.	
290	VF-XF, NH	650.	Pl. # 617 .
291	F-VF, LH	500.	
291	VF, LH	650.	
292	VF, LH	1,100.	
292	VF, LH	1,300.	PSE cert.
292	VF-XF, LH	1,450.	PSE cert.
292	F-VF+, NH	2,500.	
293	VF, LH	1,750.	
293	VF+, LH	1,900.	PF cert.
293	F-VF+, NH	3,000.	
294	F-VF, NH	25.	
294	VF, NH	35.	
294	VF-XF, NH	60.	
294	XF, NH	100.	
294	XF, Nh	150.	Corner single with Letters
294	F-VF, NH	40.	Pl. # single
294	VF, NH	65.	Pl. # single
295	F-VF, NH	25.	
295	VF, NH	35.	
295	VF-XF, NH	60.	
295	XF, NH	95.	Scarlet shade available
295	F-VF, NH	75.	Corner single with letters
295	XF, NH	125.	Corner single with letters
295	F-VF, NH	40.	Pl. # single
295	VF-XF, NH	75.	Pl. # single
296	VF, LH	60.	
296	Fine, NH	75.	Pl. # 1145 or 1142
296	F-VF, LH	150.	Pl. # and Imp pair
296	VF, NH	160.	
296	VF, NH	200.	Corner single with letters
296	VF-XF, NH	250.	
296	Fine, NH	350.	Pl. # and imp. strip of 3
296	F-VF, NH	450.	Pl. # and imp. strip of 3
297	VF, LH	70.	
297	F-VF, NH	100.	
297	VF, NH	135.	
297	VF-XF, NH	235.	
298	VF, LH	75.	
298	F-VF, NH	110.	
298	F-VF, NH	125.	Pl. # 1143
298	VF-XF, LH	150.	
298	VF, NH	200.	
298	VF+, NH	250.	PF cert.
298	VF, NH	300.	Corner single with letters
298	VF, LH	425.	Pl. #and Imp. strip of 3
298	F-VF, LH	475.	Bottom block of 4 with arrow
298	VF, NH	800.	Top block of 4 with arrow
298	VF, NH	800.	Pl. # and imp. strip of 3
299	VF-XF, LH	150.	
299	Fine, NH	150.	
299	F-VF, NH	175.	
299	F-VF, NH	225.	Pl. # 1151
299	VF-XF, NH	375.	

300	VF, LH	12.		
300	VF, NH	25.		
300b	Fine, LH	A	\$450.	
300b	F-VF, H	C	450.	
300b	VF, LH	E	500.	
300b	VF, LH	B	600.	Vert. wmk-reversed
300b	VF-XF, H	C	700.	Nice lines
300b	Fine, NH	E	750.	Vert. wmk.-inverted
300b	F-VF, NH	A	800.	Vert., inverted, rev. wmk.
300b	VF, NH	A or E	1,000. each	
300b	F-VF, NH	I	1,000.	Vert, inverted, rev. wmk.
300b	VF, LH	F	900.	Vert., inverted rev. wmk.
300b	VF-XF, LH	F	1,000.	
300b	VF, NH	E	1,100.	Normal wmk.
300b	F-VF, H	D	800. each	#s 3471, 3510
300b	VF, H	D	900. each	#s 3514, 3508
330b	VF, LH	D	1,000. each	#s 3341, 3468, 3469
300b	VF, LH	D	1,100.	#3341
300b	F-VF, NH	D	1,300.	#3508
301	VF, LH	14.		
301	F-VF, NH	25.		
301	VF, NH	35.		
301	VF-XF, NH	45.		
301c	Fine, LH	A	\$350.	
301c	XF-S, LH	E	700.	PSE cert.
301c	Fine, NH	A or E	500. each	
310c	F-VF, NH	E	800.	
301c	VF, LH	F	800.	
301c	VF, LH	D	1,350.	#1584
301c	VF, NH	D	2,000. each	#1666 or 1691
301c	VF-XF, NH	D	2,400.	#1688
310	XF, NH	65.		
301	VF, NH	65.		Pl. # single
301	XF-S, NH	90.		PSE cert.
301	F-VF, NH	90.		Pl. # and imp strip of 3
301	VF-XF, NH	110.		Imprint pair
302	F-VF, LH	35.		
302	VF, LH	50.		
302	F-VF, NH	100.		
302	VF, NH	130.		
302	VF-XF, NH	200.		
303	VF, LH	55.		
303	F-VF, NH	85.		
303	VF, NH	140.		
304	VF, LH	50.		
304	F-VF, NH	100.		
304	VF-XF, NH	225.		
305	VF, LH	50.		
305	F-VF, NH	100.		
305	VF, NH	140.		
305	VF, NH	250.		Pl.# 1600
305	VF-XF, NH	250.		
305	F-VF+, LH	200.		Block of 4
306	F-VF, NH	70.		
307	VF, LH	50.		

307	F-VF+, NH	135.	
307	VF, NH	150.	
308	VF, LH	30.	
308	VF, LH	40.	
308	Fine, NH	50.	
308	F-VF, NH	75.	
308	VF-XF, NH	200.	
308	XF, NH	750.	Pl. # strip of 3
309	VF-XF, LH	200.	
310	VF	200.	No gum.
310	VF-XF, LH	450.	
311	F-VF	200.	No gum
311	VF-XF, LH	600.	
312	VF, LH	700.	
313	VF, LH	2,100.	PF cert.
314	VF-XF, NH	25.	
314	VF-XF, LH	85.	Imprint block of 4
314	XF, NH	275.	Center line block
314	XF-S	350.	Center line block-jumbo margins
315	XF, NH	800.	Graded 95 PSE
315	VF-XF, LH	600.	Pair
315	VF-XF, NH	1100.	Pair.
319	F-VF, NH	10.	
319	VF, NH	15.	
319b	F-VF, NH	17.	Carmine rose shade
319c	VF, NH	75.	Pl. # strip of 3
319F	F-VF, NH	17.	Lake shade
319Fi	F-VF, LH	65.	Carmine type 2; PSE cert.
319Fi	VF, LH	75.	Carmine type 2; PSE cert.
319Fi	Fine, NH	95.	PSE cert.
319Fi	F-VF, NH	135.	PSE cert.
319Fi	VF, NH	165.	
319Fi	VF-XF, NH	200.	
319Fi	F-VF, NH	425.	Pl. # strip of 3
319Fj	VF, NH	225.	Carmine rose, type 2
319g	F-VF, LH	A, B or E	100. each
319g	VF-XF, LH	A or E	110. each
319g	F-VF, H	B + C	200. pair, nice lines
319g	F-VF, H	H or I	150. each
319g	VF-XF, H	G or F	325 each
319g	F-VF, NH	A or E	125. each
319g	VF, NH	A, B or E	175. each
319g	XF, NH	A or B	200. each
319g	VF-XF, NH	E	225.
319g	F-VF, LH	D	225. each #3532, 4115
319g	VF, LH	D	240. each #3822, 4106, 4115 or 4570
319g	VF-XF, LH	D	275. each #3822, 3999 or 4001
319g	F-VF, NH	D	350. each #3199 or 2881
319g	VF, NH	D	425. each #3810, 3822 or 3819
319g	VF-XF, NH	D	475. #3197
319g	Fine, LH	D	3,000. #3302, Horiz. wmk.
319g	F-VF, LH	D	3,750. #3299, Horiz wmk.
319g	VF, LH	D	4,500 each #3300, 3302, 3307, Horiz Wmk.
319h	VF, LH	900.	Carmine type 2
319h	F-VF, NH	1,250.	
319h	VF, NH	1,500.	
319h	F-VF, NH	2,200.	#4558
319n	F-VF, LH	225.	Carmine rose shade
319n	VF-XF, LH	300.	
319n	VF-XF, NH	450.	
319n	VF-XF, LH	450.	#4001

319p	VF, LH	185.	Scarlet shade
319p	XF, LH	375.	#2551; Scarlet shade
319p	F-VF, NH	525.	#3819; Scarlet shade
319p	VF, NH	575.	#2548
319p	VF-XF, NH	625.	#2550
319q	Fine, LH	200.	Carmine lake shade (E)
319q	F-VF, LH	250.	
319q	VF, LH	275.	
319q	VF, LH	450.	Pos. G
319q	VF, NH	525.	
319q	VF-XF, NH	600.	
319q	VF, NH	800.	#4607
320	VF-XF, LH	15.	
320	VF-XF, NH	30.	
320	VF-XF, LH	70.	L or R arrow block
320	VF-XF, NH	150.	Left arrow block
320	VF-XF, NH	225.	Center line block
320a	VF-XF, NH	90.	Lake shade
320b	VF-XF, NH	35.	Scarlet shade
320b	VF-XF, LH	175.	Center line block
320c	VF-XF, NH	110.	Carmine rose shade
323	F-VF, NH	35.	
323	VF, NH	55.	
323	VF, NH	85.	Pl. #2140
323	VF-XF, NH	85.	
323	XF, NH	200.each	Pl. # 2138 or imprint
323	VF-XF, NH	275.	Left arrow block
324	F-VF, NH	35.	
324	VF, NH	55.	
324	Fine, NH	75.	Pl. # and imprint pair
325	VF, LH	55.	
325	F-VF, NH	100.	
325	F-VF, NH	125.	Pl. #2101
325	VF, NH	165.	
325	VF, NH	700.	Left arrow block
326	VF, NH	70.	
326	F-VF, NH	100.	
326	VF, NH	175.	
327	F-VF, NH	150.	
327	VF, NH	250.	
327	VF-XF, NH	285.	
327	VF, NH	300.	Graded 80 PSE
328	F-VF, NH	40.	
328	F-VF, NH	50	Pl. # single
328	VF, NH	70.	
328	VF-XF, NH	100.	Pl. #single
328	VF, LH	130.	Top arrow block
329	F-VF, NH	45.	
329	VF, NH	75.	
329	VF, NH	80.	Pl. # single
329	VF-XF, NH	125.	
329	VF-XF, NH	300.	Bottom arrow block
330	VF, LH	140.	
330	VF-XF, LH	200.	
330	Fine, NH	150	
330	F-VF, NH	175	
330	VF, NH	275.	
330	VF-XF, NH	350.	
330	VF, NH	950.	Pl. # + Imp.strip of 3

331	VF, NH	15.	
331	VF-XF, NH	30.	
331a panes--	See Booklet Pane list		
332	VF, NH	15.	
332	XF, NH	25.	
332a panes—	See Booklet Pane list		
333	F-VF, NH	45.	
333	VF, NH	75.	
333	VF, NH	85.	Pl. # 4927
333	VF-XF, NH	110.	
333	XF, NH	170.	
334	F-VF, NH	50.	
334	VF-XF, NH	130.	
334	XF, NH	200.	
335	F-VF, NH	75.	
335	F-VF, NH	85.	Pl. # 4930
335	VF, NH	110.	
335	VF, NH	400.	Block of 4-3mm spacing
336	VF, LH	40.	
336	VF, LH	75.	Pl. #4938
336	F-VF, NH	90.	
336	VF, NH	150.	
337	VF, LH	45.	
338	Fine, NH	70.	
338	VF, LH	75.	
338	VF-XF, LH	85.	
338	VF, NH	170.	
338	F-VF, NH	110.	#4944
339	F-VF, NH	75.	
339	VF, NH	100.	
339	VF, NH	125.	PSE cert.
341	VF, no gum	100.	
341	VF-XF, LH	400.	PF cert.
342	VF, NH	900.	
343	VF-XF, NH	9.	
343	XF, LH	22.	Arrow block
343V	F-VF, NH	55.	Imp. coil strip of 4
344	VF-XF, NH	10.	
344	VF-XF, NH	50.	Top arrow block
344V	VF-XF, NH	60.	Imp. coil strip of 4
345	VF-XF, NH	18.	
345	VF-XF, NH	95.	Bottom arrow block
345	VF-XF, NH	235.	Center line block
346	VF-XF, NH	25.	
346	VF-XF, LH	70.	Side arrow block
346	XF, NH	240.	Centerline block
346V	XF, NH	635.	Imp. coil paste-up strip of 4
347	VF-XF, NH	45.	
347V	VF, NH	475.	Imp. coil strip of 4-PF cert.
347V	VF, NH	600.	Imp. coil GL strip of 4-PF cert.
348	F-VF, NH	50.	
348	VF, NH	80.	
348 pair	F-VF, LH	65.	
348 pair	F-VF, NH	175.	Paste-up pair
348 pair	VF, NH	250.	Paste-up pair
348 pair	VF, NH	400.	Paste-up showing #4880
348 pair	VF-XF, NH	325.	PF cert.
348 pair	XF, NH	400.	PSE cert.
349 pair	F-VF, NH	425.	Line pair
348 pair	VF, NH	575.	Line pair; PF cert.

348	VF-XF, NH	600.	Line pair
349	F-VF, LH	65.	
349 pair	XF, LH	600.	Line pair
351	F-VF, NH	325.	
351	F-VF, H	475.	Paste-up pair with #4929
352	VF, NH	225.	
352	XF, NH	750.	Pair-3 mm spacing
352 pair	VF, LH	800	Line pair; PSE cert.
352 pair	XF, NH	950.	Line pair; PF cert.
352 pair	VF, NH	1,500.	Line pair; 2 mm; PSE cert.
352 pair	XF, NH	1,600.	Line pair; 2 mm spacing
353 pair	F-VF, LH	175.	
353 pair	VF-XF, LH	300.	3 mm spacing
353 pair	VF, LH	700.	Line pair
353 pair	VF, LH	800.	Line pair; PF cert.
353 pair	VF, NH	1,500.	Line p
354 pair	VF-XF, LH	1,400.	Line pair; 3 mm; PF cert.
354 pair	XF, NH	1,600.	Line pair; 2mm spacing
354 pair	XF, NH	2,750.	Line pair; 2mm spacing
355 pair	F-VF, LH	400.	Paste-up
355 pair	XF, LH	600.	
355	VF-XF, LH	325.	#4958 under paste up
355	F-VF, LH	450.	Pair
355 pair	VF, LH	1,250.	Line pair
358	VF, LH	60.	
358	VF-XF, LH	90.	Graded 85 PF.
359	VF, LH	1,600.	PF cert.
361	F-VF, LH	4,000.	PF cert.
362	F-VF, LH	950.	PF cert.
364	VF, LH	1,400.	
365	VF, NH	5,000.	
366	VF, NH	2,500.	
367	VF, NH	9.	
367	XF, NH	30.	
368	XF, NH	25.	Pair@2X
368	XF, LH	60.	arrow bloc
368	VF, NH	90.;	Schermack pair
368	XF, NH	150.	Schermack line pair
368H	XF, NH	425.	Pair; PSE cert.
368H	XF, NH	950	Strip of 4; 2and 3 mm: PSE cert.
368V	XF, NH	275.	Pair; PSE cert.
369	Fine, NH	125.	
369	F-VF, LH	150.	
369	VF, NH	275.	
370	F-VF, NH	10.	
370	VF, NH	15.	
370	XF, NH	50.	
371	F-VF, NH	45.	Corner block of 4
371	XF, NH	30.	Pair @2X
371	XF, NH	250.	Center line block
371	XF, NH	300.	Belasco Type 1B pair; PF cert.
371	XF, NH	850.	Brinkerhoff 1 pair with #5250
372	F-VF, NH	12.	
372	VF-XF, NH	20.	
373	XF, LH	20.	
373	XF, NH	40.	Pair@2X
373	XF, LH	90.	Arrow block
373	XF, NH	190.	Arrow block
373	XF, NH	350.	Centerline block

374	VF, NH	14.	
374a	See Booklet Pane List		
375	VF-XF, NH	25.	
375	VF-XF, NH	35.	Pl. # 5558
375a	See Booklet Pane List		
376	VF, NH	40.	
377	F-VF, NH	45.	
377	F-VF, NH	65	{l. # 5575.
378	F-VF, NH	45.	
378	VF-XF, NH	95.	
379	VF-XF, LH	44.	
379	VF, NH	80.	
379	VF, NH	100.	#5222
379	VF-XF, NH	135.	
279	XF, NH	200.	PSE cert.
380	VF-XF, LH	140.	
380	VF-XF, NH	260.	
381	VF, LH	85.	
382	VF-XF, LH	250.	Graded 85 PSE
383	XF, NH	4.	
383	XF, LH	25.	Centerline block
384	XF, NH	7.	
385	XF, NH	100.	
385 pair	XF, NH	240.	
385 line pair	XF, LH	450.	PF cert.
385 line pair	XF, LH	500.	
385 line pair	VF+, NH	950.	PF cert.
385 line pair	XF, NH	1,250.	
386	XF, LH	150.	
385	Fine, NH	100.	Pair = \$200.
386	VF, NH	500.	Paste up pair
386 line pair	F-VF, LH	1,000.	
386 line pair	XF, LH	1,200.	
386 line pair	XF, NH	2,750.	
387 pair	F-VF, LH	350.	
387 line pair	XF, LH	1,100.	
390	VF-XF, NH	25.	
390 pair	VF-XF, NH	75.	Paste-up #5572
390 line pair	XF, LH	60.	
390 line pair	VF-XF, NH	90.	
391 pair	VF, NH	225.	PF cert.
391 pair	VF-XF, NH	275	
392	VF-XF, NH	55.	Pair=\$110.
392 line pair	VF, LH	175.	
392 line pair	XF, LH	325.	PF cert.
392 line pair	VF, NH	475.	PF cert.
393 pair	VF, LH	150.	Paste up
393 pair	VF, LH	250.	
394	XF, NH	200.	
394 pair	VF, LH	160.	Paste up
394 pair	VF-XF, LH	175.	3mm;
394 pair	VF-XF, LH	175.	2mm
394 pair	VF-XF, NH	400.	2mm; paste up; PSE cert.
394 line pair	VF, LH	400.	2 mm
394 line pair	VF, LH	450.	2mm: PF cert.
394 line pair	VF-XF, LH	525.	3 mm; PSE cert.
394 line pair	XF, LH	650.	2mm
394 pair	F-VF, LH	425.	3mm; paste up; #5136
394 pair	VF, LH	450.	Strip of 4; paste up; 2 and 3 mm
395	F-VF, NH	125.	
395 pair	VF, LH	250.	Paste up; 2mm
395 pair	F-VF, NH	200.	3 mm

395 pair	F-VF, NH	300.	3 mm
396	VF, LH	60.	Graded 80
396	F-VF, NH	100.	
396	VF-XF, NH		
396	VF-XF, LH	60.	
396 pair	VF, LH	250.	Paste up
396 pair	VF, NH	325.	
396 pair	VF-XF, NH	350.	2 mm
396 pair	VF-XF, NH	400.	3mm; APS cert.
396 line pair	VF, LH	400.	3mm: PF cert.
396 line pair	XF, LH	650.	2 mm: PF cert.
397	F-VF, NH	25.	
397	VF-XF, NH	60.	
397	XF, NH	80.	
397	XF-S, NH	125.	
398	F-VF, NH	25.	
398	VF-XF, NH	50.	
398	VF, NH	65.	Pl. # 6317
398	XF, NH	80.	
398	XF-S, NH	125.	
398	XF-S, NH	175.	Jumbo margins
399	F-VF, NH	95.	
399	VF, NH	150.	
399	VF-XF, NH	220.	
399	XF- NH	375.	
400	F-VF, NH	160.	
400	VF, NH	250.	
400A	F-VF, NH	225.	
400A	VF, NH	400.	
400A	VF-XF, NH	500.	
401	F-VF, NH	50.	
410	VF_XF, NH	85	
402	F-VF, NH	100.	
402	VF, NH	150.	
403	VF, NH	400.	PSE cert.
403	XF, NH	500.	Corner copy with HLC
404	VF, NH	1,600.	#6135
405	VF, NH	15.	
405	VF-XF, NH	25.	
405	XF, NH	75.	PSE cert.
405	XF-S, NH	125.	PSE cert.
405b	See Booklet pane List		
406	F-VF, NH	10.	
406	VF, NH	15.	
406	VF, NH	25.	Pl. # 7015
406	XF, NH	40.	
406a	See Booklet Pane List		
407	VF, LH	55.	
407	XF, LH	110.	
407	XF, LH	150.	#6903
407	F-VF, NH	100.	
407	VF, NH	150.	
408	XF, NH	2.	
408	XF, NH	10.	Arrow block
408	XF, NH	18.	Centerline block
408	XF, NH	40.	Set of 4 arrow and CL blocks
408V	VF-XF, NH	10.	Strip of 4
408	XF, NH	85.	Block of Kansas City rouletts
409	VF-XF, NH	2.	
409V	VF-XF, NH	16.	Strip of 4

410 pair	VF-XF, NH	20.	
410 line pair	VF, LH	25.	
410 line pair	F-VF, NH	40.	
411	VF, NH	20.	Pair = \$40'
411 pair	F-VF, LH	50.	Paste up
411 pair	VF-XF, NH	75.	Paste up
411 line pair	VF, LH	45.	
411 line pair	VF, NH	110.	
411 line pair	XF, NH	250.	
412	VF-XF, LH	35.	
412 pair	VF-XF, LH	75.	PF cert.
412	VF-XF, LH	50.	Pair = \$100.
412 line pair	VF-XF, LH	110.	
413	VF-XF, NH	150.	
413 pair	VF-XF, LH	150.	
413 pair	XF, LH	200.	
413 line pair	VF-XF, LH	300.	
414	VF, LH	45.	
414	XF, LH	70.	
414	F-VF, NH	85.	
415	VF-XF, LH	60.	
415	XF, LH	90.	
416	VF, LH	40.	
416	VF-XF, NH	175.	
416	XF, NH	250.	
417	VF, LH	40.	
417	F-VF, NH	75.	
417	VF, NH	90.	
417	XF, NH	225.	PF cert.
418	F-VF, NH	150.	
418	VF, NH	175.	
418	VF-XF, NH	200.	
419	F-VF, NH	275.	
419	VF, NH	375.	
420	F-VF, NH	175.	
420	VF, NH	250.	
420	XF, NH	400.	
424	VF, NH	4.	
424d	See Booklet Pane list		
425	VF, NH	4.	
425	VF, NH	7.	
425	XF, NH	20.	
426	VF-XF, LH	40.	
426	VF-XF, NH	50.	
426	XF, NH	80.	
426	XF, NH	100.	PSE cert.
427	VF-XF, LH	40.	
427	VF-XF, NH	100.	
428	VF-XF, LH	35.	
428	F-VF, NH	55.	
428	VF, NH	85.	#6736
428	XF, NH	180.	
429	XF, LH	85.	Pl. # 7137
429	F-VF, NH	85.	Pl. # 5419 or 5430
429	F-VF, NH	95.	
429	VF, NH	125.	#7137
429	F-VF, NH	165.	Imprint pair
429	XF, NH	220.	
430	XF, LH	150.	
430	VF, NH	200.	

430	VF, NH	225.	Pl. # 6932
431	VF-XF, LH	60.	
431	VF, NH	80.	
431	VF, NH	170	Imp. pair
432	VF, NH	85.	
433	VF-XF, LH	60	
433	F-VF, NH	80.	
433	VF, NH	100.	
433	XF, NH	225.	
434	VF-XF, LH	60.	
434	VF, NH	60.	
434	VF, NH	75.	#7498; PF cert.
434	VF-XF, NH	100.	#7499
434	XF, NH	115.	
434	XF, NH	150.	PF cert.
435	VF, NH	65.	
435	VF-XF, NH	120.	PSE cert.
437	F-VF, NH	160.	
440	VF-XF, LH	500.	
441	VF	2.	Pair=\$5.
441 line pair	VF, NH	14.	
441 line pair	XF, NH	20.	
442	F-VF, NH	14.	
442	VF-XF, NH	19.	
442 pair	VF-XF, NH	50.	
442 line pair	F-VF, NH	60.	
443	VF-XF, NH	65.	
443 pair	VF-XF, NH	175.	
443	F-VF, LH	75.	Paste-up pair
443 line pair	VF-XF, H	125.	
443 line pair	VF-XF, LH	250.	PF cert.
444 pair	VF-XF, LH	125.	
444	VF, NH	200.	Paste-up pair
444 line pair	XF, LH	450.	PSE cert,
444 line pair	F-VF, NH	450.	
445 line pair	VF-XF, LH	1,300.	PF cert.
447 pair	Fine, LH	100.	Paste up
447	XF, NH	160.	
447 pair	VF, NH	250.	PF cert.
447 line pair	VF, LH	250.	PSE cert.
447 pair	VF, LH	300.	Paste up with pl. #6739
447 line pair	VF,NH	650.	PF cert.
448	F-VF, NH	8.	
448 line pair	XF, NH	250.	Line pair
449	F-VF, LH	2,000.	PSE cert.
449	F-VF, LH	8,000.	Line pair; APS cert.
450	VF-XF, NH	30.	
450 pair	VF, NH	65.	
452 line pair	VF, NH	150.	
452 line pair	VF-XF, NH	250.	
452 line pair	VF, NH	275.	PF cert.
453 line pair	F-VF, LH	500.	PSE cert.
453	VF, LH	800.	Line pair; PF cert.
454 pair	VF-XF, NH	375.	PSE cert.
454 pair	XF, NH	400.	
454 pair	XF, NH	450.	PF cert.
454 line pair	Fine, NH	500.	PF cert.
454 line pair	F-VF, NH	600.	
454 line pair	XF, LH	550.	PF cert.
455	XF, NH	25.	Pair = 55.
455 line pair	VF, NH	100.	

455 line pair	XF, NH	150.	
456	VF, LH	225.	PF cert.
457	VF-XF, NH	55.	
457	VF-XF, LH	60.	Pa
457 line pair	XF, LH	225.	
457 line pair	VF, NH	400.	PSE cert,
458	VF, NH	60.	
458 pair	XF, LH	100.	
458 line pair	XF, LH	200.	
458 line pair	VF, NH	350.	PF cert.
458 line pair	VF-XF, NH	400.	PSE cert.
459 pair	XF-S, NH	725.	Graded 95
460	VF, LH	600.	
462	VF, NH	\$30.	#7531
462a	See Booklet Pane List		
463	F-VF, NH	7.	
463	VF, NH	10.	
463	VF, NH	15.	
463	XF, NH	30.	
463a	See Booklet Pane List		
464	XF, LH	90.	Graded 90 PSE
464	F-VF, NH	100.	
464	VF-XF, NH	200.	
465	F-VF, NH	65.	
465	VF-XF, NH	200.	
466	F-VF, NH	100.	
466	VF, NH	140.	
466	VF-XF, NH	225.	
466	XF, NH	575.	Graded 90; PSE cert.
467	Fine, NH	600.	
467	VF, NH	2,700.	Double error in bl. of 12
468	VF, LH	85.	
469	VF-XF, LH	150.	
470	VF-XF, LH	85.	Graded 85 PSE
470	F-VF, NH	75.	
470	f-VF, NH	100.	#5725
470	VF-XF, NH	150.	
471	VF, NH	150.	
472	F-VF, NH	150.	
472	VF, NH	200.	
472	VF-XF, NH	275.	
473	VF, NH	95.	
474	VF-XF, LH	90	
475	VF, LH	180.	Graded 80 PSE
475	VF, NH	350.	
476	VF, NH	450.	
478	VF, LH	775.	
479	VF, NH	450.	
480	VF, NH	375.	
480	VF-XF, NH	450.	
481	XF, NH	2.	
480	XF, NH	10.	Arrow block
480	XF, NH	40.	Set of 4 arrow blocks
481	XF, NH	15.	Centerline block
481	XF, NH	30.	Set of 4 arrow blocks
482	XF, NH	2.	
482	XF, NH	15. each	Arrow. or Cent. line block
483	XF, NH	20.	
483	XF, LH	45.	Arrow block
483	XF, LH	85.	Centerline block
483	XF, NH	100.	Arrow block

483	XF, LH	200.	Set of 4 arrow blocks
483	XF, LH	285.	Set of arr. and cent. line blocks
484	XF, NH	17.	
484	XF, LH	45.	Arrow block
484	XF, NH	90. each	Arrow or centerline block
484	XF, NH	300.	Set of 4 arrow blocks
484	XF, NH	350.	Set of arr. and cent. Line blocks
486	VF, NH	2.	Pairs @ 2x
486 line pair	VF, NH	8.	
487	VF, NH	25.	Pair@2X
486 pair	XF, NH	80.	
487 line pair	F-VF, NH	175.	
488	VF, NH	6.	Pair @2x
488 line pair	F-VF, LH	27	
488 line pair	VF, NH	80.	
489	VF, NH	9.	Pair @2x
489	VF-XF, NH	14.	Pair@2x
489 pair	XF-S, NH	135.	
489 line pair	VF, LH	30.	
489	VF, NH	60.	Line pair
490	VF, NH	1.	Pair @2x
490 line pair	VF, NH	6.	
490 line pair	XF, NH	25.	
492	VF, NH	15.	Pair@2X
492 pair	VF-XF, NH	45.	
492 line pair	F-VF, LH	50.	
492 line pair	F-VF, NH	80.	
492 line pair	VF-XF, NH	110.	
492 line pair	XF, NH	135.	
493	VF, NH	25.	Pair@2X
493	XF, NH	35.	Pair@2X
493 line pair	VF, LH	75.	
493 line pair	VF-XF, NH	275.	
493 line pair	VF-XF, NH	300.	PF cert,
494	VF, NH	18.	Pair@2X
494	XF, NH	20.	Pair@2X
494 line pair	F-VF, NH	100.	
495	VF, NH	20.	Pair@2X
495 pair	XF, NH	60.	
495 line pair	VF, NH	150	
495 line pair	XF, NH	250	
496	VF, NH	6.	Pair@2X
496 line pair	VF-XF, LH	30.	
496 line pair	F-VF, NH	40.	
496 line pair	VF, NH	60.	
496 line pair	XF, NH	100.	
497	VF, LH	17.	
497	VF, NH	35.	Pair@2x
497 pair	XF, NH	150.	
497 line pair	VF, LH	110.	
497 line pair	F-VF, NH	200.	
497	VF, NH	250.	
498	VF, NH	1.	
498e	VF, NH	4.	Booklet pane of 6
498e	VF, NH	9.	Booklet pane of 6 with Plate #
498f	VF, LH	850.	Booklet pane of 30
498f	VF, NH	1,450.	Booklet pane of 30
498f	VF-XF, NH	1,700.	Booklet pane of 30; PF cert
499	VF, NH	1.	
499e	VF, NH	6.	Booklet pane of 6

499e	VF, NH	10.	Booklet pane of 6 with pl. #
499f	VF, LH	19,000.	Booklet pane of 30; APS cert.
499f	VF, NH	27,000.	Booklet pane of 30; PF cert.
501	F-VF, NH	13.	
501	VF, NH	20.	
501	VF, NH	30.	Pl. #'s
501	VF-XF, NH	40.	#8093
501	XF-S, LH	100.	Jumbo; PSE cert.
501	XF-S, NH	100.	PSE cert.
501b	See Booklet Pane List		
502	F-VF, NH	18.	
502	VF, NH	25.	
502b	See Booklet Pane List		
503	F-VF, NH	15.	
503	VF, NH	20.	
503	VF-XF, NH	40.	#12551
503	XF-S, NH	120.	PSE cert.
504	F-VF, NH	12.	
504	VF, NH	18.	
504	XF, NH	50.	#7787
504	XF-S, NH	90.	PSE cert.
505	F-VF, NH	450.	Error
550	VF, NH	525.	Error
505	VF, NH	1,500.	Double error in block of 12.
506	F-VF, NH	18.	
506	VF, NH	25.	
506	XF, NH	40.	
507	F-VF, LH	20.	
507	VF, NH	40.	
507	F-VF, NH	45.	
507	VF-XF, NH	75..	
507	XF, NH	125	PSE cert..
507	XF-S, NH	135.	Graded 90 PSE
508	F-VF, NH	20.	
508	VF, NH	25	
508	VF-XF, NH	32.	
509	F-VF, NH	20.	
509	VF, NH	25.	
509	VF-XF, NH	40.	Graded 80 PSE
509	XF, NH	55.	
510	F-VF, NH	22.	
510	VF, NH	32.	
510	VF-XF, NH	50.	#8303
511	F-VF, NH	16.	
511	VF, NH	20	
511	VF-XF, NH	28.	
512	VF, LH	10.	#12581
512	F-VF, NH	15.	
512	VF, NH	20.	
512	VF-XF, NH	30.	
512a	F-VF, NH	15.	
512a	VF, NH	20.	
512a	VF-XF, NH	30.	
513	F-VF, NH	15.	
513	VF, NH	20.	
513	VF-XF, NH	30.	
513	XF-S, NH	60.	PSE cert.
514	F-VF, NH	50.	
514	VF, NH	75.	
515	XF LH	65.	
515	F-VF, NH	55.	

515	VF, NH	70.	
516	F-VF, NH	45.	
516	VF-XF, NH	70.	
516	XF, NH	225.	Block of 4
517	F-VF, NH	80.	
517	F-VF, NH	95.	#13655
517	VF, NH	115.	
518	VF, LH	45.	
518	VF, LH	60.	#5782
518	VF, NH	90.	
518	VF-XF, NH	140.	
518	XF-S, NH	200.	
518	XF, NH	250.	#5782
519	VF-XF, LH	475.	
519	F-VF, NH	700.	
523	F-VF, LH	500.	
523	VF, LH	550.	
523	F-VF, NH	750.	Nat. gum skip
524	VF, LH	160.	
524	VF, NH	325.	
524	XF, NH	1,800.	CL block; PSE cert.
525	VF, NH	8.	
525	VF, NH	20.	#9721
526	F-VF, NH	28.	
526	VF-XF, NH	55.	
526	XF, NH	85.	
527	F-VF, NH	35.	
527	F-VF, NH	45.	#11054
527	VF-XF, NH	60.	
527	XF, NH	100.	
527	XF, NH	125.	#11185 or 11284
528	F-VF, NH	13.	
528	VF, NH	22.	
528	VF-XF, NH	30.	
528A	F-VF, NH	70.	
528A	VF, NH	110.	
528B	F-VF, NH	30.	
528B	F-VF, NH	40.	PL. #'s
528B	VF, NH	50.	
528B	VF-XF, NH	85.	
528B	VF-XF, NH	100.	PSE cert.
529	VF, NH	7.	
528	XF-S, NH	40.	Large margins
530	VF, NH	4.	
531	VF-XF, NH	20.	Pair@2X
531	VF-XF, NH	110.	Centerline block
531	XF, NH	425.	Set of 4 arrow blocks
532	VF-XF, NH	70.	Pair@2X
532	XF, LH	200.	Centerline block
532	XF, NH	325.	Centerline block
532	XF, NH	325.	Right arrow block
533	VF-XF, NH	175.	Pair@2X
534	VF-XF, NH	25.	Pair@2X
534	VF-XF, NH	35.	Pl. #'s
534	VF-XF, NH	65.	Centerline block
534	VF-XF, NH	120.	Centerline block
534	VF-XF, LH	80.	Arrow block
534	VF-XF, NH	120.	Arrow block
534	VF-XF, LH	225.	Set of 4 arrow blocks
534	VF-XF, NH	450.	Set of 4 arrow blocks
534A	VF-XF, NH	70.	Pair@2X
535	VF-XF, NH	16.	Pair@2x

535	VF-XF, LH	45.	Centerline block
535	VF-XF, NH	80.	Centerline block
535	VF-XF, LH	195.	Set of 4 arrow and CL blocks
535	VF-XF, NH	300.	Set of 4 arrow blocks
536	VF, NH	45.	
536	XF, NH	75.	#10052
536	VF-XF, NH	100.	Graded 85j PSE
537	F-VF, NH	13.	
537	VF, NH	18.	
537	VF, NH	30.	#9431
537	VF-XF, NH	35.	
537	XF-S, NH	90.	
537	Fine, NH	60.	Corner block with "J.T.W.M."
537a	F-VF, LH	1,100.	PF cert.
538	F-VF, NH	14.	
538	VF, NH	22.	
538A	VF, LH	45.	Pair
538A	VF, LH	80.	Block of 4
538A	VF, NH	80.	Pair
540	F-VF, NH	20.	
540	VF, NH	28.	
540	VF, NH	40.	
541	F-VF, NH	75.	
541	VF, NH	100.	
542	F-VF, NH	25.	
542	VF, NH	30.	
542	VF, NH	45.	#10510
543	VF, NH	2.	
547	VF, LH	110.	
547	VF, NH	240.	
547	VF-XF, NH	325.	
547	XF-S, NH	425.	
547	VF-XF, NH	1,000.	Right arrow block
547	VF, NH	1,250.	Centerline block
548	F-VF, NH	6.	
548	VF-XF, NH	13.	
548	XF, NH	250.	Graded 95J PSAG
548	VF, NH	65.	Corner block with :G.W."
549	F-VF, NH	11.	
549	VF-XF, NH	16.	
549	XF, NH	45.	
549	VF-XF, LH	65.	
549	F-VF, NH	65.	Corner block with S.S.L."
550	F-VF, NH	40.	
550	VF, NH	65.	
550	VF-XF, NH	90.	
551	VF, NH	1.	
552 or 554	VF, NH	2. each	
553	VF, NH	4.	
552a	VF, NH	8.	Booklet pane
552a	XF, NH	15.	
552a	VF, NH	21.	Plate#
554c	VF-XF, NH	15.	Booklet pane
554c	VF-XF, NH	21.	Plate#
555, 556 or 557	F-VF, NH	20. Each	
555, 556 or 557	VF, NH	27.	
555, 556, or 557	VF-XF, NH	40. Each	
555	XF, NH	60.	
558	F-VF, NH	42.	

558	VF, NH	65.	
558	VF-XF, NH	90.	
559	F-VF, NH	10.	
559	VF, NH	16.	
559	VF-XF, NH	25.	
559	XF, NH	40.	
560	XF, LH	45.	
560	F-VF, NH	50.	
560	VF, NH	75.	
560	VF-XF, NH	100.	
561	F-VF, NH	20.	
561	VF, NH	25.	
561	VF-XF, NH	35.	
562	F-VF, VF	22.	
562	VF, NH	30.	
562	VF-XF, NH	45.	
563	VF-XF, NH	3.	
564	F-VF, NH	7.	
564	VF, NH	11.	
564	VF-XF, NH	18.	
564	XF-S, NH	50.	
564	XF, NH	60.	#17418
565	F-VF, NH	6.	
565	VF-XF, NH	12.	
565	XF, NH	25.	
566, 567 or 568	F-VF, NH	20.	
566, 557 or 558	VF, NH	30.	
566, 567 or 568	VF-XF, NH	40.	
566	XF, NH	70.	
566	XF, NH	100.	Pl. # 14912
567	XF, NH	75.	
567	XF-S, NH	200.	Graded 95 PSAG
568	XF, NH	75.	
568	XF-S, NH	200.	Graded 95 PSE
569	F-VF, NH	35.	
569	VF, NH	55.	
569	VF-XF, NH	70.	
569	VF, NH	80.	#20193
570	F-VF, NH	50.	
570	VF, NH	70.	
570	VF-XF, NH	100.	
570	XF, NH	125.	
571	F-VF, NH	50.	
575	VF, NH	65.	
571	VF, NH	75.	#18981 or 18682
571	VF-XF, NH	85.	
571	VF-XF, NH	125.	#18682
571	VF-XF, NH	135.	Corner single with "AEF"
571	VF-XF, NH	300.	Top or bottom arrow block
572	F-VF, NH	80.	
572	VF, NH	110.	
572	VF-XF, NH	140..	
572	VF, NH	300.	Corner single with "J.C.F."
572	XF, NH	750.	Side arrow block
573	VF-XF, LH	80.	
573	VF, NH	170.	
573	VF-XF, NH	225.	#14326
573	XF, NH	750.	Side arrow block
573	XF, NH	750.	Center line block
573a	VF, H	160.	
575	VF-XF, NH	10.	

575	VF-XF, NH	60.	Top arrow or CL block
575	VF-XF, LH	100.	Set of 4 arrow blocks
576 or 577	VF-XF, NH	2. each	
576 or 577	VF-XF, LH	25.	Set of 4 arrow blocks
576 or 577	VF-XF, NH	40.	Set of 4 arrow blocks
575-577	VF-XF, LH	50.	Set of centerline blocks
575-577	VF-XF, NH	90.	Set of centerline blocks
576	XF, LH	25.	Set of arrow blocks
576	XF, LH	50.	Set of centerline blocks
577	XF, NH	50.	Set of arrow blocks
577	XF, NH	80.	Set of arrow and centerline blocks
578	F-VF, NH	85.	
578	VF-XF, NH	190.	
579	F-VF, NH	95.	
579	XF, NH	260.	
581	F-VF, NH	14.	
581	VF, NH	20.	
581	VF-XF, NH	25.	
581	XF-S, NH	215	Graded 95 PSAG
582	F-VF, NH	9.	
582	VF-XF, NH	12.	
583	F-VF, NH	4.	
583	VF-XF, NH	8.	
583a	Ave-Fine, NH	50.	Booklet pane
583a	F-VF, NH	135.	
583a	VF, NH	175.	
583a	VF-XF, NH	225.	
583a	XF, NH	300.	
583a plate number panes- see Booklet pane Lisr			
584	F-VF, NH	38.	
584	VF-XF, NH	75.	
585 or 586	F-VF, NH	25.	
585 or 586	VF-XF, NH	45.	
587	F-VF, NH	13.	
587	VF-XF, NH	35.	
588	F-VF, NH	19.	
588	VF-XF, NH	40.	
589	F-VF, NH	35.	
589	VF-XF, NH	75.	
590	F-VF, NH	10.	
590	VF-XF, NH	20.	
591	F-VF, NH	50.	
591	VF-XF, NH	100.	
581-91 set	VF, LH	170.	
581-91 set	F-VF, NH	275.	
581-91 set	VF-XF, NH	500.	
595	F-VF, NH	325.	
595	VF, NH	475.	
599A	Fine, NH	300.	Pair
599A	F-VF, NH	425.	Pair
599A	VF-XF, NH	650.	Pair
599A	F-VF+, NH	900.	Line pair; PF cert.
597-606 set	VF, NH	35.	Pairs = \$70., (no 599A)
597-606 set	VF, NH	150.	Line pairs, no 599A
606a	XF, NH	325.	Carmine lake; APS cert.
599A	F-VF, NH	210.	Pair = \$420.
599A	Fine, NH	800.	Line pair
599A	F-VF, NH	1,100.	Line pair
599, 599A	Fine, NH	800.	Line pair

610	VF-XF, NH	1.	
611	VF-XF, NH	8.	
611	VF-XF, NH	40.	Arrow block
611	VF-XF, NH	60.	Corner margin block with :J.H.S." or "CHR"
611	VF-XF, NH	160.	Set of 4 arrow blocks
612	F-VF, NH	20.	
612	VF-XF, NH	40.	
614 or 617	F-VF, NH	3.	
614 or 617	VF-XF, NH	4.	
615 or 618	F-VF, NH	6.	
615 or 618	VF-XF, NH	8	
616 or 619	F-VF, NH	20.	
616 or 619	VF-XF, NH	35.	
616 or 619	XF, NH	60.	
619	XF, NH	75.	Graded 90 PSE
620	F-VF, NH	4.	
620	VF-XF, NH	8.	
620	VF-XF, LH	15.	Arrow block
620	VF, NH	30.	Arrow Block
620	VF, NH	35.	Centerline block
621	F-VF, NH	12.	
621	VF, NH	17.	
621	VF-XF, NH	24.	
621	VF, LH	45.	Arrow block
621	VF, NH	80.	Arrow block
621	VF, LH	60.	Centerline block
621	VF, NH	100.	Centerline block
621	VF, NH	320.	Set of 4 arrow blocks
620-21	VF, NH	320	Set of arrow + corner + centerline blocks
622	F-VF, NH	12.	
622	VF-XF, NH	24.	
623	F-VF, NH	12.	
623	VF-XF, NH	24.	
627	F-VF, NH	3.	
627	VF-XF, NH	4.	
628	F-VF, NH	6.	
628	VF-XF, NH	8.	
629	VF, NH	3.	
630	F-VF, LH	225.	
630	F-VF, NH	325.	
630	VF, NH	425.	
630	XF, NH	525.	
631	VF-XF, NH	2.	
632-42	VF-XF, NH	25.	
634A	F-VF, NH	450.	
634A	F-VF, NH	500.	Pl. #19747
634A	VF, NH	550.	Pl. # 19644
634A	VF, NH	575.	
634A	VF, NH	600.	APS cert.
634b	F-VF, NH	425.	Carmine lake shade; PSE cert.
643	VF, NH	2.	
644	VF, NH	4.	
645	VF, NH	1.	
646	VF, NH	1.	
647-8	F-VF, NH	20.	
647-48	VF-XF, NH	27.	
649-50	VF, NH	8.	
651	VF, NH	1.	
654 or 655	VF, NH	1.	
656	VF, NH	18	
656	XF, NH	70.	Graded 95 PSE.
656	VF-XF, LH	60.	Line pair

656	VF, NH	80.	Line pair
657	VF, NH	1.	
658, 659 or 660	F-VF, NH	3. each	
658, 659 or 660	VF-XF, NH	9. Each	
661 or 662	VF, LH	20.	
661 or 662	F-VF, NH	20.	
661 or 662	VF-XF, NH	34.	
663	F-VF, NH	17.	
663	VF-XF, NH	25.	
664	VF, LH	25.	
664	F-VF, NH	30.	
664	VF, NH	50.	
664	VF-XF, NH	85.	
665	VF, LH	27.	
665	F-VF, NH	30.	
665	VF-XF, NH	75.	
665	XF, NH	90.	
665	VF-XF, NH	100.	#18736
666	VF, LH	70.	
666	F-VF, 2 LH, 2 NH	300	Block of 4
666	F-VF, NH	90..	
666	VF, NH	125.	
666	VF-XF, NH	170.	
666	XF, NH	225.	
666	XF, NH	250.	PSE cert.
666	XF-S, NH	450.	Graded 95 PSE
667	F-VF, NH	18.	
667	VF, NH	28.	
667	VF-XF, NH	35.	
667	XF, NH	50.	
668	VF, LH	22.	
668	F-VF, NH	28.	
668	VF-XF, NH	60.	
658-668	F-VF, NH	350.	Kansas set
658-668 set	VF, NH	475.	Kansas set
658-668	VF-XF, NH	600.	Kansas set
669, 670 or 671	F-VF, NH	4. each	
669, 670 or 671	VF-XF, NH	6. Each	
672	XF, LH	18.	
672	F-VF, NH	14	
672	VF-XF, NH	32.	
673	VF, LH	20.	
673 or 674	VF, LH	18 each.	
673 or 674	F-VF, NH	20. each	
673 or 674	VF, NH	30.	
673 or 674	VF-XF, NH	45. each	
675	VF, LH	35.	
675	F-VF, NH	45.	
675	VF, NH	70.	
675	VF-XF, NH	95.	
675	XF, NH	150.	
676	F-VF, NH	30.	
676	VF, NH	45.	
676	VF-XF, NH	60.	
676	XF, NH	85.	
677	VF, LH	30.	
677	F-VF, NH	38.	
677	VF, NH	60.	
677	VF-XF, NH	90.	
677	XF, NH	120.	
678	VF, LH	28.	

678	F-VF, NH	40.	
678	VF, NH	60.	
678	VF-XF, NH	85.	
679	VF, LH	65.	
679	F-VF, NH	115.	
679	VF, NH	165.	
679	VF-XF, NH	225.	
669-679 set	F-VF, NH	375.	Nebraska set
669-679 set	VF, NH	425.	Nebraska set
658-679 set	F-VF, NH	650.	Kansas-Nebraska set
658-679 set	VF, NH	850.	Kansas-Nebraska set
658-679 set	VF-XF, NH	1,100.	Kansas-Nebraska set
692-701 set	VF-XF, NH	120.	
703b	VF-XF, H	350.	PF cert.
704-15 set	VF-XF, NH	30.	
720b	VF, NH	50.	Booklet pane
720b	XF, NH	80.	
720c	VF, LH	650.	Vert. pair, imp. between
723	VF, NH	14.	
723	VF, LH	40.	Line pair
723	VF, NH	65.	Line pair
713	F-VF, NH	100.	Paste up line pair
756-65 set	XF, NH	110.	Centerline blocks
832	VF, NH	6.	
832	VF-XF, NH	32.	Centerline block
832b	VF-XF, NH	180.	Watermarked
832b	XF, NH	1,800.	Centerline block; PSE cert.
833	VF-XF, NH	15.	
833	VF-XF, NH	70.	Arrow, CL, or corner block
834	VF, LH	40.	
834	VF, NH	70.	
834	VF-XF, NH	325.	Centerline block
834	VF-XF, NH	500.	Bottom arrow block
832-34	VF-XF, NH	400.	Centerline blocks
803-34 set	VF-XF, NH	125.	
839-51 set	VF-XF, NH	60.	Pairs
839-51 set	VF, NH	120.	Line pairs
859-93 set	VF-XF, NH	25.	
1053	VF-XF, NH	40.	
1058b	VF, NH	300.	Line pair-large holes-wet pr.
1059	VF, NH	400.	Line pair-small holes
1213c	VF, NH	80.	Booklet pane-sol. 2-tagged
1304e	VF, NH	200.	Imperforate. pair
1338k	VF, NH	200.	Vertical pair; imp. between
1510f	VF, NH	400.	Imperforate pair
1557a	VF, NH	225.	Red omitted
1891	VF, NH	500.	#6-strip of 3
AIRMAILS			
C1	VF, LH	\$50.	
C1	F-VF, NH	70.	
C1	VF, NH	110.	
C2	VF-XF, NH	130.	
C1	VF-XF, NH	140.	Graded 85 PSE
C1	VF-XF, NH	500.	Centerline block
C1	VF, LH	250.	Left arrow block
C1	VF, NH	350.	Left arrow block
C1	VF, NH	350.	Top arrow block; LH is selvage
C1	VF, NH	475.	Top arrow block
C2 or C3	VF, LH	55. each	
C2 or C3	F-VF, NH	80. each	

C2 or C3	VF, NH	110. each	
C2 or C3	VF-XF, NH	145. each	
C2 or C3	XF, NH	200. each	
C2	XF, NH	500.	Block of 4
C2	VF, LH	325.	Centerline block
C2	VF-XF, NH	600.	Centerline block
C3	VF, LH	335.	Bottom or left arrow block
C3	VF, LH	400.	Right arrow block
C3	VF, NH	575.	Top arrow block
C3	XF, LH or NH	400.	Centerline block
C3	XF, NH	575.	Centerline block
C4	F-VF, NH	25.	
C4	VF, NH	35.	
C4	VF-XF, NH	45.	
C4	VF-XF, NH	80.	top #14825
C4	F-VF, NH	110.	Block of 4
C4	VF-XF, NH	175.	Block of 4
C4	XF, NH	225.	Block of 4
C5 or C6	VF, LH	60.	
C5 or C6	F-VF, NH	80.	
C5 or C6	VF, NH	125.	
C5 or C6	XF, NH	175.	
C5	VF, NH	130.	Graded 80 PSE
C6	VF-XF, NH	225.	#14841
C6	VF, NH	600.	Block of 4
C10a	F-VF, NH	75.	
C10a	VF-XF, NH	115.	
C13	F-VF, LH	150.	
C13	VF, LH	200.	
C13	F-VF, NH	175.	
C13	VF, NH	300.	
C13	XF, NH	400.	
C13	XF, NH	500.	Pl. #20079 side
C14	F-VF, LH	350.	
C14	F-VF, NH	400.	#20085
C14	VF, NH	525.	
C14	XF, NH	700.	
C15	F-VF, LH	400.	
C15	F-VF, NH	650.	
C15	VF-XF, NH	975.	
C15	XF, NH	1,400.	Pl. #20092 top
C13-15 set	VF, LH	1,000.	
C13-15 set	VF-XF, LH	1,200.	
C13-14 set	XF, LH	1,400.	Plate #'s
C13-15 set	VF, NH	1,500.	
C13-15 set	VF-XF, NH	1,800.	
C13-15 set	XF, NH	2,250.	
C18	VF, LH	45.	
C18	VF, NH	70.	
C18	XF, NH	90.	
C18	VF-XF, NH	350.	Plate # block of 4
C23a	VF-XF, NH	300.	Imperforate pair
C64b	VF, NH	45.	Booklet pane-slogan 2

SPECIAL DELIVERY

E1	VF, LH	400.	
E1	VF-XF, LH	500.	
E1	XF-S, LH	650.	
E1	F-VF, NH	750.	
E1	VF, NH	950.	
E3	F-VF, LH	175.	
E3	VF, LH	275.	PF cert.

E3	F-VF, NH	400.	
E3	VF, NH	500.	
E4	Fine, LH	300.	
E4	F-VF, LH	500.	
E5	VF, H	150.	
E5	F-VF, LH	150.	Pl. #77
E5	VF-XF, LH	300.	
E5	VF-XF, LH	325.	Pl. #77; PSE cert.
E5	VF, NH	400.	
E5	VF, NH	450.	Pl. # 257 or 77
E5	XF, NH	625.	PF cert.
E5	F-VF, LH	750.	Pl. # strip. of 3
E6	F-VF, LH	140.	
E6	F-VF, NH	200.	Natural crease
E6	VF, NH	225.	
E7	VF-XF, LH	55.	
E7	F-VF, NH	75.	
E7	VF, NH	140.	Pl. # 4920
E7	VF-XF, NH	160.	
E8	F-VF, NH	175.	Pl. #5539
E8	VF, NH	300.	PSE cert.
E8b	VF-XF, NH	375.	
E9a	VF-XF, H	225.	
E9	VF, NH	400.	
E9a	VF, NH	475.	
E10	F-VF, LH	210.	
E10	VF, NH	525.	
E11	F-VF, NH	35.	
E11	VF-XF, NH	45.	
E11	VF, NH	60.	Pl. # 8507
E11	XF, NH	85.	
E12	F-VF, NH	60.	
E12	VF-XF, NH	85.	
E13	VF, NH	40.	
E13	VF-XF, NH	80.	
E13	VF-XF, NH	400.	Pl. # block of 4
E14	VF-XF, NH	4.	
F1	VF-XF, NH	200.	

POSTAGE DUES

J1	VF, LH	\$75.	
J1	Fine, NH	75.	
J2	VF, no gum	225.	
J2	Fine, H	175.	
J2	F-VF, LH	250.	
J3	F-VF, LH	70.	
J3	Fine, NH	125.	
J3	F-VF, NH	150.	
J4	Fine, H	250.	
J4	F-VF, H	375.	
J5	VF, H	700.	
J6	Fine, H	150.	
J6	F-VF, H	200.	
J6	VF, H	325.	
J6	Fine, NH	275.	
J6	F-VF, NH	400.	
J16	VF-XF, H	70.	
J16	F-VF, NH	175.	
J17	VF, LH	800.	
J18	F-VF, H	325.	
J18	VF, no gum	400.	PSE cert.
J18	VF, LH	550.	

J19	F-VF, no gum	250.	
J19	Fine, NH	350.	
J19	VF, LH	550.	PSE cert.
J20	F-VF, no gum	110.	
J20	VF, H	185.	
J20	F-VF, H	165.	
J20	VF-XF, LH	300.	
J22	VF, H	22.	
J22	VF, NH	75.	
J22	VF-XF, NH	150.	
J23	F-VF, H	25.	
J24	VF, LH	60.	
J24	F-VF, NH	65.	
J24	F-VF+, NH	150.	
J25	F-VF, H	65.	
J25	VF, H	90.	
J25	VF-XF, H	150.	
J26	Fine, LH	70.	
J26	VF LH	150.	
J27	VF, H	500.	
J28	Fine, H	275.	
J28	F-VF+, H	350.	
J28	F-VF+, LH	500.	APS cert.
J29	F-VF, LH	3,500.	PF cert.
J31	VF, LH	75.	
J32	VF, LH	50.	
J33	F-VF, LH	175.	
J33	VF, NH	575.	PSE cert..
J35	F-VF+, LH	325.	
J35	VF+, LH	400.	PSE cert.
J36	Fine, LH	175.	
J36b	VF-XF, NH	1,000.	
J39	F-VF, NH	35.	
J39	VF, NH	60.	#247
J39	VF-XF, NH	80.	\$247
J40	F-VF, NH	150.	
J41	F-VF, H	55.	
J41	VF, H	70.	
J41	VF-XF, NH	325.	
J42	F-VF, H	65.	
J42	VF, H	85.	
J42	XF, H	200.	PSE cert.
J42	VF, NH	280.	
J43	Fine, H	250.	
J43	VF-XF, LH	700.	
J44	F-VF, H	250.	
J44	VF, LH	350.	
J44	VF, LH	375.	APS cert.
J46	VF, NH	100.	
J46	VF-XF, NH	175.	
J46	XF, NH	300.	#5511
J47	F-VF+, H	500.	APS cert.
J47	F-VF, LH	450.	
J47	VF, LH	600.	
J48a	F-VF, LH	95.	
J49	F-VF, H	85.	
J49a	F-VF, LH	85.	
J50	F-VF, LH	700.	
J52	VF, NH	220.	
J52	XF, NH	300.	
J53	VF, NH	200.	PF cert.
J55	F-VF, NH	85.	

J57	F-VF, LH	160.	
J57	VF, LH	200.	
J57	XF, LH	275.	
J57	F-VF, NH	300.	
J60	F-VF, LH	150.	
J60	VF, NH	575.	
J61 or J62	F-VF, NH	8.	
J61	VF-XF, NH	20.	Block of 4 = \$80.
J62	VF, NH	15.	
J63a	F-VF, NH	30.	
J63	XF, NH	80.	
J64	F-VF, NH	20.	
J64	VF, NH	35.	
J64	VF-XF, NH	45.	
J64	XF, NH	100.	PSE cert.
J64	XF, NH	100.	Imprint pair
J64	VF, NH	200.	Corner block with "B.M.C."
J64b	VF-XF, NH	60.	
J65	VF, NH	50.	
J65	VF, NH	100.	PF cert.
J65	VF, LH	110.	Corner block of 4 with CHR
J65	XF, NH	175.	
J65	XF, NH	225.	Pl. #5532
J65	VF, NH	250.	Corner block of 4 with WMcA
J66	VF, LH	75.	
J66	VF-XF, LH	90.	
J66	F-VF, NH	150.	
J66	VF-XF, NH	235.	
J66	VF-XF, NH	285.	#15876
J66a	VF, LH	75.	
J66a	F-VF, NH	185.	
J66a	VF, NH	225.	
J67	F-VF, NH	200.	
J67	F-VF, NH	250.	#20036
J67	F_VF+, NH	800.	Pl. # block of 4
J69	X \bar{F} , NH	20.	
J70	VF-XF, NH	10.	
J70	XF, NH	20.	
J70	XF, NH	25.	Pl. # 20163
J71	XF, NH	20.	
J71	XF-S, NH	75.	PL. #20251
J72	F-VF, NH	25..	
J72	VF, NH	45.	
J72	VF-XF, NH	75.	
J72	XF, NH	125.	
J73	XF, NH	100.	
J74	VF, NH	110.	
J75	VF, LH	120.	
J75	VF, NH	325.	
J76	F-VF, NH	200.	
J76	VF-XF, NH	400.	
J76	XF, NH	500.	
J77	VF, NH	60.	
J77a	VF, NH	50.	
J78	VF, NH	75.	
J87	VF, NH	50.	

SHANGHAI'S

K1	VF, NH	\$60.
K1	XF, NH	130.
K2	VF-XF, NH	80.
K3	VF, H	50.

K3	F-VF, NH	100.	
K4	VF, LH	55.	
K4	VF, NH	140.	
K5	F-VF, H	40.	
K5	VF-XF, NH	200.	
K5	XF, NH	275.	
K6	VF, NH	200.	
K6	VF-XF, NH	250.	
K6	VF-XF, NH	300.	Large margins
K7	F-VF, LH	65.	
K7	F-VF, NH	125.	
K7	VF, NH	185.	
K9	VF-XF, LH	90.	
K9	F-VF, NH	90.	
K9	VF-XF, NH	200.	
K10	F-VF, LH	55.	
K10	VF, LH	65.	
K10	F-VF, NH	90.	
K10	VF+, NH	175.	
K11	VF, NH	190.	
K12	F-VF, LH	60.	
K12	VF, LH	75.	
K12	XF, NH	375.	
K13	F-VF, LH	75.	
K13	VF, LH	120.	
K13	F-VF, NH	200.	
K13	VF, NH	275.	
K13	VF-XF, NH	275.	
K13	VF-XF, NH	400.	
K14	F-VF, LH	75.	
K14	VF, LH	95.	
K14	F-VF, NH	170.	
K14	VF, NH	250.	
K14	VF-XF, NH	375.	
K15	F-VF, NH	750.	
K15	VF, NH	950.	
K16	F-VF, LH	275.	
K16	F-VF, NH	600.	
K16	VF, NH	850.	
K16	VF-XF, NH	1,000.	
K17	F-VF, LH	80.	
K18	VF, LH	65.	
K18	F-VF, NH	125.	
K18	VF+, NH	225.	

PARCEL POST

Q1	VF, NH	\$11.	
Q1	VF, NH	15.	Graded 80
Q1	VF-XF, NH	22.	
Q1	XF-S, NH	60.	
Q2	VF, NH	11.	
Q2	VF, NH	18.	Pl. #6370
Q2	XF, NH	40.	
Q3	F-VF, NH	15.	
Q3	VF, NH	20.	
Q3	VF, NH	50.	Imprint three
Q3	VF-XF, NH	40.	
Q3	XF, NH	85.	
Q3	VF, VF	125.	Pl. # and imprint pair
Q4	F-VF, LH	20.	Pl. #s
Q4	VF-XF, LH	45.	
Q4	VF, LH	30.	Pl. #s

Q4	F-VF, NH	85.	
Q4	VF, NH	75.	Pl. #'s
Q4	VF-XF, NH	100.	
Q4	XF, NH	175.	
Q5	VF, LH	28.	
Q5	XF, NH	175.	
Q6	VF-XF, LH	45.	
Q6	F-VF, NH	55.	
Q6	VF, NH	85.	
Q6	VF, NH	125.	Pl. # 6165
Q6	XF, NH	200.	
Q7	F-VF, NH	110.	
Q7	VF, NH	165.	Pl. # 6260
Q7	Fine, LH or NH	200.	PL. # strip of 3
Q8	XF, LH	150.	
Q8	F-VF, NH	85.	
Q8	VF, NH	225.	
Q9	F-VF, NH	90.	
Q9	VF, NH	180.	Pl.# 6175
Q9	VF-XF, NH	225.	
Q10	F-VF, LH	225.	
Q10	F-VF, NH	225..	
Q10	VF, NH	400.	
Q10	VF-XF, NH	650.	
Q10	XF, NH	950.	
Q11	F-VF, NH	90.	
Q11	VF, NH	180.	
Q11	VF+ NH	250.	Pl. #6288
Q11	VF-XF, NH	275.	
Q11	XF, NH	425.	
Q12	Fine,,LH	125.	Pl. #6264
Q12	F-VF, LH	200.	Pl. # 6264
Q12	F-VF, NH	325.	Pl. # 6264
Q12	VF, NH	550.	
Q12	XF, NH	900.	
JQ1	VF, NH	12.	
JQ2	VF, LH	85.	Pl.#6243
JQ2	F-VF, NH	100.	
JQ2	VF, NH	130.	
JQ2	VF-XF, NH	240.	
JQ3	F-VF, NH	24.	
JQ3	VF-XF, NH	45.	
JQ4	F-VF, LH	75.	
JQ4	Fine, NH	100.	
JQ4	F-VF, NH	150.	
JQ4	VF, NH	275.	
JQ4	VF-XF, NH	400.	
JQ4	XF, NH	600.	
JQ5	VF, LH	100.	
JQ5	Fine, NH	150.	
JQ5	F-VF, NH	125.	
QE1-4 set	VF-XF, NH	40.	
OFFICIALS			
O1	VF-XF, no gum	\$185.	
O1	VF, H	225.	
O2	F-VF, H	170.	
O3	XF, no gum	125.	
O3	F-VF, H	135.	
O3	VF, H	185.	
O4	Fine, H	140.	

O4	F-VF, H	185.
O5	Fine, H	275.
O6	VF, no gum	200.
O7	F-VF, no gum	150.
O7	Fine, H	200.
O7	F-VF, H	275.
O8	F-VF, H	275.
O8	VF-XF, H	500.
O9	VF, no gum	250.
O9	F-VF, H	375.
O10	F-VF, no gum	325.
O10	F-VF, H	500.
O14	F-VF, H	450.
O15	XF, H	110.
O15	XF, LH	160.
O16	VF, H	60.
O17	VF, H	75.
O19	VF, LH	160.
O20	F-VF, LH	125.
O20	F-VF, H	65.
O22	VF, H	120.
O22	VF, H	150.
O23	Fine, H	150.
O24	F-VF+, LH	260.
O24	VF, LH	325.
O25	F-VF, LH	175.
O25	VF, H	225.
O26	Fine, H	125.
O28	F-VF, LH	175.
O29	F-VF, H	200.
O29	VF, H	275.
O29	VF-XF, LH	325.
O29	VF-XF, LH	350.
O30	F-VF, H	200.
O32	VF, H	700.
O33	F-VF, H	550.
O34	VF H	1,600.
O36	F-VF, H	95.
O36	VF, H	125.
O39	F-VF, LH	500.
O45	Fine, no gum	200.
O45	Fine, H	450.
O50	F-VF, NH	50.
O51	VF, H	125.
O52	VF, LH	110.
O53	VF, H	100.
O55	VF, H	175.
O56	F-VF, no gum	90.
O56	F-VF, H	125.
O56	Fine, no gum	160.
O57	F-VF, H	150.
O57	VF, H	200.
O58	F-VF, H	160.
O58	VF, H	275.
O59	VF, LH	200.
O60	F-VF, LH	175.
O60	VF, H	275.
O61	VF, H	220.
O61	VF-XF, LH	225.
O63	VF-XF, no gum	135.
O64	VF, no gum	150.
O64	F-VF, H	250.

PF cert.

Block of 4

O66	F-VF, H	375.	
O67	Fine, H	300.	
O67	VF-XF, no gum	500.	
O68	Fine, H	750.	
O68	VF, LH	1,100.	
O69	VF, H	5,500.	PF cert.
O71	F-VF, LH	4,250.	PF cert.
O72	VF, H	100.	
O73	VF-XF, H	150.	
O74	VF, H	90.	
O76	F-VF, H	175.	
O76	VF, LH	210.	
O76	VFXF, LH	325.	
O79	F-VF, no gum	85.	
O79	VF, no gum	125.	
O79	F-VF, LH	175.	
O80	F-VF, no gum	275.	
O81	VF, H	325.	
O82	F-VF, H	185.	Part OG
O82	F-VF, LH	225.	
O82	F-VF, LH	350.	PF cert.
O82	VF, LH	350.	
O82	VF-XF, H	425.	
O83	F-VF, H	150.	
O83	VF, NH	750.	
O84	F-VF, H	135.	
O85	F-VF, no gum	80.	
O86	VF, no gum	300.	
O86	F-VF, LH	350.	
O87	VF, H	125.	
O90	F-VF, LH	60.	
O91	VF, NH	200.	PF cert.
O93	VF-XF, no gum	175.	
O93	VF, H	175.	
O93	VF-XF, LH	200.	
O101	F-VF, LH	185.	
O101	VF, LH	275.	PF cert.
O102	VF, LH	325.	
O103	VF, LH	4,000.	PF cert.
O107	Fine, H	300.	
O109	VF, LH	70.	
O111	F-VF, LH	200.	
O112	VF, no gum	900.	PSE cert.
O120	F-VF, NH	190.	PF cert
O122	F-VF, LH	135.	
O123	F-VF, LH	150.	
Guam:			
13	Unused, no gum	\$2,500.	PF cert.
Philippines:			
225	VF, LH	675.	PSE cert.
237	VF, LH	260.	
237	VF, NH	725.	
238	VF, LH	600.	
238	VF, NH	1,250.	
239	F-VF, H	700.	
240a	F-VF, LH	1,000.	Booklet pane
241-254 set	VF, LH	500.	
276a	VF, LH	450.	Booklet pane
277a	VF, LH	600.	Booklet pane
480	VF, LH	475.	PF cert.

C1-6 + C9,10, 12	VF, LH or H	550.	
C1-6 + C9-12	F-VF, LH	1,000.	
C7	F-VF, LH	2,400.	Signed
Ryukyus	VF-XF, LH	1,400.	PF cert.

12-20-20